UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/539,945	01/17/2006	Bernardus Johannes Tobben	932,016	1115
24106 7590 10/24/2008 EGBERT LAW OFFICES 412 MAIN STREET, 7TH FLOOR			EXAMINER	
			WRIGHT, GIOVANNA COLLINS	
HOUSTON, TX 77002			ART UNIT	PAPER NUMBER
			3672	
			MAIL DATE	DELIVERY MODE
			10/24/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Summary	10/539,945	TOBBEN, BERNARDUS JOHANNES			
omee near cummary	Examiner	Art Unit			
	GIOVANNA C. WRIGHT	3672			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tinwill apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on <u>17 J</u>	<u>lune 2005</u> .				
2a) This action is FINAL . 2b) ☑ This	s action is non-final.				
3) Since this application is in condition for allowa	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) ☐ Claim(s) 1 and 2 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1 and 2 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	awn from consideration.				
Application Papers					
9)☑ The specification is objected to by the Examine 10)☑ The drawing(s) filed on 17 June 2005 is/are: a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)☐ The oath or declaration is objected to by the E	a) accepted or b) objected to drawing(s) be held in abeyance. Section is required if the drawing(s) is objection	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal F 6) Other:	ate			

Application/Control Number: 10/539,945 Page 2

Art Unit: 3672

DETAILED ACTION

Specification

1. The disclosure is objected to because of the following informalities: In the Brief Description of the Drawings, there is no description of each figure number. The element numbers for the different elements is the drawing should also be used throughout the Detailed Description when referring to the different elements.

Appropriate correction is required.

Drawings

2. The drawings are objected to because it is difficult to distinguish the different elements in the figures with all of the different lines shown in the figures. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet"

Application/Control Number: 10/539,945 Page 3

Art Unit: 3672

pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-2 are rejected under 35 U.S.C. 103(a) as being unpatentable over Skinner 4913245 and Jaeger et al. 6582263.

Referring to claims 1-2, Skinner discloses the method and apparatus of using a heat exchanger (31) to cool a drilling fluid. Skinner does not the fluid is cooled by glycol and water or a second heat exchanger suing seawater to cool the glycol and water.

Jaeger (Fig. 1) teaches that glycol and water is a known and coolant and using seawater through a heat exchanger (26) to cool a glycol and water mixture (col. 1, lines 6-26). As a glycol water mixture is a well known coolant and it would be advantageous to continuous cool the glycol water mixture in order to continuously recycle the mixture, it would be obvious to one of ordinary skill in the art at the time of the invention to modify the apparatus and method disclosed by Skinner to have a glycol water mixture as the coolant and use seawater going through a second exchanger to cool the glycol water mixture in view of the teachings of Jaeger.

Application/Control Number: 10/539,945 Page 4

Art Unit: 3672

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to GIOVANNA C. WRIGHT whose telephone number is (571)272-7027. The examiner can normally be reached on 7:30-4 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David J. Bagnell can be reached on 571-272-6999. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Giovanna C. Wright/ Primary Examiner, Art Unit 3672